

Manual for Type 86S (Bullpup AK)



The Type 86S Bullpup operates in the same way as the other AK type rifles with the exception that the cocking handle has been placed on the top of the receiver rather than on the side.

The Type 86S AK Bullpup is an ideal field and varmint hunting rifle which balances extremely well against the shoulder allowing the shooter to maintain his point of aim with less effort than conventional designs.

The forward grip is spring loaded and folds down or up by pulling the handle against spring tension out of one of the two locked positions.

The sights have a three position setting, 100-meters, 200-meters and 300-meters.



DISASSEMBLY: To disassemble the 86S for cleaning and maintenance, first remove the magazine and pull the bolt back to check and see that the chamber is empty and no ammunition is in the rifle.



Press in on the latch located at the top rear of the rifle and lift the top cover off.




Slide the recoil spring guide and spring forward out of their notch in the rear of the receiver and remove.



The bolt carrier with its attached piston is now free to slide back and forth. Slide it back until it begins to lift out. At this point the cocking lever will be in line with the hole in the top of the carrying handle. Lift the cocking lever up and out of its notch in the gas piston and remove.



The bolt and bolt carrier are now free to be removed from the rifle.



The bolt is removed from the bolt carrier by turning counterclockwise and pulling forward.

No further disassembly is required. Reassemble in reverse order.

Clean the rifle with a quality bore cleaner after shooting and lightly oil the bolt carrier and bolt.

SAFETY NOTE: The two position safety is marked "F" for FIRE and "S" for SAFE. Always keep the rifle on SAFE when not shooting. This position will block the trigger and the bolt carrier from moving.

Always keep the muzzle pointed in a safe direction.

SPECIFICATIONS:

Caliber: 7.62 x 39

Weight: 7 lbs.

Length: 26.25 inches

Barrel Length: 17.25 inches (w/flash hider)

Muzzle Velocity: 2,330 FPS

Magazine: All 7.62 x 39 AK types

Operation: Semi-automatic

Thank you for purchasing a NORINCO product.

Limited one-year warranty.



Please keep this and all firearms out of the reach of children.